

## Translations Guide

### 1. HTML tags in translation string

Sample:

```
"IP_TOOLTIP": "<b class='tooltip-title'>Your server's external IP address.</b>Please, specify your server's external IP address. If you are not sure about these details - please contact your hosting provider and kindly ask them to provide mentioned details to you."
```

Do not edit/delete HTML tags. This applies to both the tags and their attributes. In the above sample, you can change everything except: **<b class='tooltip-title'>** and **</b>**.

List of tags that you may find during translations - div, b, a, span, i, br.

### 2. HTML entities in translation string

Sample:

```
"CUSTOM_CODE_HEADER_TOOLTIP": "Input code will appear in the &lt;head&gt; tag on the current site's post."
```

Do NOT edit/delete HTML entities like **&lt;**, **&gt;**, **&nbsp;**. These are used to show HTML tags in text. In the above sample **&lt;head&gt;** will look like `<head>`.

### 3. Screened Quotes

Sample:

```
"DESCRIPTION_TEXT": "Your product is not activated yet.<br/><br/>Please enter your account by using \"Activate\" button and specify server's external IP address and domain name details, which are presented below."
```

Double quotes has to be "screened" with "\" symbol. For example "sample text" in quotes needs to be screened like this \"sample text\".

### 4. Translation keys used in strings

Sample:

```
"SUPPORT_TEXT": "If the issue persists - please submit a ticket to our <a href=\"{{BRAND.LINK.HELP_CENTER'|translate}}\" target=\"_blank\">support department</a>, so our agents will assists you."
```

In this sample you can see that key **BRAND.LINK.HELP\_CENTER** is used in key **SUPPORT\_TEXT**. Such keys has to remain untouched, moreover it is part of HTML tag in current sample.

## 5. Static links

Sample:

```
"SESSION_EXPIRED": "Session expired. Please <a onclick='window.location.reload()>log in</a> again."  
"INCORRECT_AUTHORIZATION_DATA": "Incorrect Email or Password. Please, try again or <a  
href=\"#!/auth/forgot/\">reset password</a>."
```

Static links like **onclick='window.location.reload()'** and **href=\"#!/auth/forgot/\"** should be unchanged.

## 6. Variables in the translation strings

Sample:

```
"DELETE_POST_CONFIRMATION": "<div>Do you want to delete this post</div><span  
class='popup-title-text'>{{ name }}</span> ?"  
"PAGINATOR_DESCRIPTION": "Showing {{ start }} to {{ end }} of {{ total }} entries"
```

All the variables, which are included in double braces should be untouched. In current example - **{{ start }},{{ end }},{{ total }}**

## 7. AngularJS filters

Sample:

```
"DISK_FREE_SPACE": "Not enough free disk space. {{ free_space | motoFileSize }} is available, but you  
need at least {{ enough_space | motoFileSize }}."
```

Same rule, all the variables, which are included in double braces should be untouched. In current example - **{{ free\_space | motoFileSize }}**. Here **| motoFileSize** is an AngularJS filter that should remain unchanged.

## 8. Untranslatable names, file extensions, or specific names

Sample:

```
"HTML_SUFFIX_TOOLTIP": "If enabled, system will add '.html' suffix to the URL."  
"ANALYTICS_TRACKING_ID_DESCRIPTION_TEXT": "e.g. UA-1234587-77"
```

Some keys may include unique names or file extensions that do not need to be translated. In our sample words **.html** and **UA-1234587-77** do not require translation.